



3764 # 41 ✓

AMENDMENT TRANSMITTAL LETTER

Applicant : Stephen M. Meginnis III et al
Serial No : 09/316,990
Filed : May 24, 1999
For : APPARATUS AND METHOD FOR TREATMENT OF XEROSTOMIA

Attorney Docket No.: PHA 23978
Art Unit: 3764
Examiner: F. C. Mathew
Date : July 1, 2004

TECHNOLOGY CENTER R3700

RECEIVED
JUL 13 2004

MAIL STOP NON-FEE AMENDMENT
COMMISSIONER OF PATENTS
P.O. BOX 1450
ALEXANDRIA, VA 22313-1450

Dear Sir:

Transmitted herewith is an amendment in the above-identified application.

[X] No additional fee is required.

[] Fee calculation:

[X] Enclosed is a check for \$110 for a ONE-month extension of time.

CLAIMS AS AMENDED

(1)	(2) CLAIMS REMAINING AFTER AMENDMENT	(3)	(4) HIGHEST NUMBER PREVIOUSLY PAID	(5) NO. OF EXTRA CLAIMS PRESENT	(6) RATE	(7) ADDITIONAL FEE
TOTAL CLAIMS	9	MINUS	20	-0-		-0-
INDEP CLAIMS	1	MINUS	3	-0-	X	-0-
						0


Please charge any additional fees or credit overpayment to Deposit Account No. 07-1900.

Respectfully submitted,

JENSEN & PUNTIGAM, P.S.

By Clark A. Puntigam
Clark A. Puntigam #25,763
Attorney for Applicant

CAP:gh
(206) 448-3200
Enclosures: Amendment, Check, Postcard



PATENT

I hereby certify that this correspondence is being transmitted by U.S. mail; postage prepaid, to the Assistant Commissioner of Patents, Alexandria, VA on July 1, 2004.

CLARK A. PUNTINGAM
Name

Clark A. Puntingam
Signature

July 1, 2004
Date of Signature

RECEIVED
JUL 13 2004
TECHNOLOGY CENTER R3700

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Stephen M. Meginnis III et al
Serial No : 09/316,990
Filed : May 24, 1999
For : APPARATUS AND METHOD FOR TREATMENT OF XEROSTOMIA

Attorney Docket No.: PHA 23978
Art Unit: 3764
Examiner: F. C. Mathew

MAIL STOP AMENDMENT
COMMISSIONER OF PATENTS
P.O. BOX 1450
ALEXANDRIA, VA 22313-1450

AMENDMENT

Dear Sir:

Reconsideration of the above-identified application in view of the amendment to the claims and the following remarks is respectfully requested.

07/09/2004 BSAYASI1 00000073 09316990

01 FC:1251

110.00 0P